BELZONA SEALS LEAKING FLANGE

ID: 2713

Industry: Chemical & Petrochemical Customer Location: Chemical plant, Germany

Application: VPF-Valves, Pipes and Fittings Application Date: May 2010

Substrate: Steel

Products: * Belzona® 1391 (Ceramic HT),

* Belzona® 1111 (Super Metal),

Problem

Flanged joint was leaking at the gasket and through the bolts. Customer required an in-situ repair to seal the leak as joint could not be dismantled to effect a conventional repair.









Photograph Descriptions

- * Leaking flange,
- * Belzona® 1111 applied to bolts,
- * First coat of Belzona® 1391 applied,
- * Completed application ,

Application Situation

Large flange in hot brine process system

Application Method

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

www.belzona.com



Application was carried out using a modified version of Belzona Know-How System Leaflet VPF-11. The surface was prepared by grit blasting. The bolts were fully encapsulated using Belzona® 1111 to seal the leaks in these areas. Following this Belzona® 1391 incorporating Reinforcement tape was used to completely encapsulate the flange joint.

Belzona Facts

The Belzona products were chosen to withstand the high process temperatures (120°C) and have proven to be totally effective leading to several aimilar repairs at the facility.

www.belzona.com