BELZONA KEEPS NATURAL GAS LINE GOING

Industry: Application: Substrate: Products:

Oil & Gas VPF-Valves, Pipes and Fittings Carbon Steel * Belzona 5811 (Immersion Grade) , * Belzona 4151 (Magma-Quartz Resin) ,

* Belzona 5111 (Ceramic Cladding),

Problem

Upon customer inspection they found the pipe near the flange area becoming thin-wall and they also had concerns about corrosion on the flange. This is the natural gas line to the plant and they could not go down for the repair without the plant going down also.

Customer Location: Texas, USA

Application Date: May 2013



Photograph Descriptions

- * After blasting to prep. ,
- * Belzona 5811 applied to protect.,
- * Resin wrap applied.,
- * Top coat for protection. ,

Application Situation

Pipe near the flange area.

Application Method

Unit was blasted using sponge media for non-spark preparation. Belzona 5811 was then applied to protect against CUI, then a resin wrap was applied to give strength back to the line. A top coat of Belzona 5111 was applied for further protection.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015Belzona products areFS 695214manufactured under an ISOISO 14001:20159000 Registered QualityEMS 695213Management System.

www.belzona.com



ID: 4704

Belzona Facts

Alternative methods of repair meant the customer would have to take the line down, which would have resulted in downtime that the customer could not afford.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

FS 695214 ISO 14001:2015 EMS 695213

ISO 9001:2015 Belzona products are manufactured under an ISO 9000 Registered Quality Management System.

www.belzona.com

