

BELZONA IMPOUNDMENT PUMP COATING SIX YEARS ON

ID: 4748

Industry: Marine Customer Location: Port Authority, SW England

Application: CEP-Centrifugal Pumps Application Date: Sept 2013

Substrate: Cast Iron

Products: * Belzona 1341 (Supermetalglide),

Problem

The port authority had coated the docks impoundment pumps with Belzona 1341 six years ago and had taken the pump from service for routine maintenance.









Photograph Descriptions

* 1. Spider bearings after 6 years in service 2, Pump casing very little wear to the Belzona 1341 3. Spider bearings re-coated with Belzpna 1341 4. Pump internals after coating ,

Application Situation

The port which is located in the South West of England on the Severn Estuary has the second largest tidal range in the world, 14.5 metres and suffers high levels of silt.

Application Method

Application was carried out in accordance with Belzona Systems Leaflet CEP-10. The existing Belzona 1341 showed very little wear and small amount of build-up was cleaned by pressure washing before completing the surface preparation and re-coating with Belzona 1341.

Belzona Facts

Due to the harsh environment in which the pumps operate, the Client has made the coating of all the pumps with Belzona 1341 standard due to both the increase in efficiency and the extension of pump life provided.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®
Repair • Protect • Improve