# BELZONA PROTECTS VERTICAL FLARE KNOCK OUT VESSEL

ID: 488

Industry: Chemical & Petrochemical Customer Location: Oil Refinery-Australia

Application: TCC-Tanks and Chemical Containment Application Date: May 2004

Areas

Substrate: Steel

Products: \* Belzona® 5891 (HT Immersion Grade),

#### Problem

Internal corrosion caused by variety of hydrocarbons and chemicals passing through the vessel.







## **Photograph Descriptions**

- \* General view of the vessel,
- \* The degree of existing corrosion found in the vessel ,
- \* Application of Belzona® 5891 underway,

#### **Application Situation**

Vertical Flare knock-out vessel. This is second stage of the flare stack line and is half filled with water to form a seal for dissolved Hydrocarbons, H2S but mainly sour water.

#### **Application Method**

Application was carried out in accordance with Belzona Know-How System Leaflet TCC-5. After thorough cleaning, the vessel was grit blasted and coated with the Belzona® 5891.

### **Belzona Facts**

Belzona® 5891 provides excellent protection to a wide range of Hydrocarbons and other chemicals at the elevated temperatures anticipated in this vessel.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®
Repair • Protect • Improve