BELZONA PROVIDES FAST INTERIOR PROTECTION OF TWO CYANIDE DESTRUCTION TANKS

ID: 5092

Industry: Mining & Quarrying Customer Location: Gold mine

Application: TCC-Tanks and Chemical Containment Application Date: September 2009

Areas

Substrate: Steel ASTM A36

Products: * Belzona 4151 (Magma-Quartz Resins),

Problem

Aggressive chemical attack, cavitation and erosion of suspended solids in processing tanks that operate with permanent entry and exit of fluids and mixing blades.









Photograph Descriptions

- * Original conditions in the interior of the tank,
- * Image of the tank and airless spray equipment,
- * Mixing Belzona 4151,
- * Application completed,

Application Situation

Tank interior

Application Method

After blasting, Belzona 4151 was applied with airless spray equipment in accordance with Belzona Know-How System Leaflet TCC-5.

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®
Repair • Protect • Improve

Belzona Facts

It is common to use paints to protect tanks, but these paints are not designed for the working conditions they are subjected to. As a result they deteriorate rapidly, which leaves the metallic parts exposed. After a technical evaluation, it was decided to apply a coating of Belzona 4151 due to its superior resistance to chemical attack, erosion and cavitation. The product was applied with Airless Graco Xtreme X70 equipment, which is able to cover large areas in a short amount of time in order to reduce downtime.

www.belzona.com