# BELZONA SEALS HOLE IN GLASS LINED REACTOR

ID: 5307

Industry: Power Customer Location: Niagara Falls, ON, Canada

Application: TCC-Tanks and Chemical Containment Application Date: March 2013

Areas

Substrate: Glass

Products: \* Belzona 1591 (Ceramic XHT),

#### Problem

Lining had suffered from impact damage, resulting in a small hole in the lining. This made the reactor unusable.









## **Photograph Descriptions**

- \* Overview of glass lined reactor,
- \* Glass lined reactor,
- \* Prior to application,
- \* Completed application,

### **Application Situation**

Glass lined reactor.

#### **Application Method**

The application was carried out in accordance with Belzona Know-How System Leaflet TCC-1 for sealing cracks, porous welds, bolted and riveted joints on tanks. The surface was ground. Belzona 1591 was applied with an applicator and brush in accordance with Belzona Instructions For Use.

## **Belzona Facts**

The client used \$513.38 of Belzona 1591 for the repairs, saving more than \$600,000.00 in repair costs and many months of downtime. Belzona 1591 exhibits excellent erosion-corrosion resistance at elevated temperatures, through a unique binary curing mechanism. This mechanism allows application and cure at ambient temperatures with additional higher temperature resistance being achieved in service through post curing.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

www.belzona.com

BELZONA®

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

www.belzona.com

BELZONA