

BELZONA REINFORCES AND PROTECTS TURBINE

ID: 5323

Industry: Power Customer Location: MO, USA
Application: CEP-Centrifugal Pumps Application Date: October, 2004

Substrate: Steel

Products: * Belzona 1311 (Ceramic R-Metal),

Problem

The GE Turbine was partially disassembled for inspection. 7th stage blades being replaced in HP turbine section. Stationary diaphragms of last two stages of LP turbine section were removed for inspection and it was determined that they had been rebuilt with Belzona 1311 two outages prior (16 years ago!). The customer wanted to ensure many more years of service.









Photograph Descriptions

- * Overview of the Power Plant,
- * Stationary diaphragms removed for inspection,
- * Blades showed signs of erosion so they were rebuilt,
- * Application carried out for all four diaphragm halves showing one of the four finished repairs,

Application Situation

GE Turbine.

Application Method

Only one power pack of Belzona 1311 was needed to repair four diaphragm halves and four casing bells. The application was carried out in accordance with Belzona Know-How System Leaflet CEP-1.

Belzona Facts

Following inspection from a scheduled outage for the plant confirmed that the GE Turbine that previously applied Belzona 1311 on the equipment had held up for 13 years! The customer elected to rehab same repairs! The application was accomplished in one day, start to finish, and did not negatively impact the planned outage by causing any further delay. Belzona 1311 had held up remarkably

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®

co ensure many more	years of service.			
	na Know - How In Action, pl	ease visit https://khia.belzo	ona.com	- 0 0