

Belzona coating for a chemical tank

ID: 5361

Industry: Chemical & Petrochemical
Application: TCC-Tanks and Chemical Containment Areas

Customer Location: Lavéra, France

Application Date: 2012

Substrate: Steel

Products: * Belzona 1391 (Ceramic HT),

Problem

Steel without protection can be easily attacked by chemicals stored in the tank at 105°C.



Photograph Descriptions

- * Tank after blasting, ,
- * Beginning of the application ,
- * On-going application of the coating Finished application ,

Application Situation

tank F622 (diameter : 1,4mm, length : 3,5m)

Application Method

The application was done in accordance to Belzona system leaflet TCC-5. After degreasing and blasting the surface, Belzona 1391 was applied in a one coat system (600 to 750µm) on the bottom part of the tank.

Belzona Facts

Downtime reduced, the tank could be put back into service quickly. Long life time protection against chemical attack (according to chemical resistance chart). High temperature resistance in immersion.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015

FS 695214

ISO 14001:2015

EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA[®]
Repair • Protect • Improve