

SLIPPERY FLOOR DRAIN GETS BELZONA GRIP!

ID: 5407

Industry: Buildings & Structures

Application: FPA-Floor Problem Areas

Substrate: Concrete

Products: * Belzona 5811 (Immersion Grade) ,
* Belzona 9211 (Supergrip Aggregate) ,

Customer Location: Bellingham, WA, USA

Application Date: March 2013

Problem

Concrete floor area around drain is very slippery with water & fish entrails. area sees both forklift and pedestrian traffic



Photograph Descriptions

- * Floor drain before the application ,
- * Thorough cleaning ,
- * Non-slip application of the floor drain is now complete ,

Application Situation

The Customer needed a safety grip system for a slippery floor drain area in fish processing plant to avoid falls & injury

Application Method

The application was carried out in accordance to Belzona Know-How System Leaflets FPA-3 and FPA-8. Concrete cleaned thoroughly and one heavy coat of Belzona 5811 applied to floor area. Belzona 9211 (Supergrip Aggregate) was then broadcast onto uncured material to create an aggressive non-slip surface.

Belzona Facts

The Customer has been using Belzona repair materials for a number of years with good results. They easily choose this simple effective solution

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015

FS 695214

ISO 14001:2015

EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA®
Repair • Protect • Improve

Copyright © Belzona International Limited 2025