## BELZONA REPAIRS DISCHARGE PIPES OF A CYCLONE FEED SUMP

ID: 5532

Industry: Mining & Quarrying
Application: FPA-Floor Problem Areas
Substrate: Concrete and Carbon Steel

\* Belzona 4111 (Magma-Quartz),

\* Belzona 4151 (Magma-Quartz Resin) ,

\* Belzona 1812 (Ceramic Carbide),

# Problem

**Products:** 

Damage of concrete. Loosening of the discharge pipes of the cyclone feed sump, caused by impact. Wear in the interior of the ducts, due to ore abrasion.







Customer Location: Mine, Bolivia

Application Date: February 21, 2011



## **Photograph Descriptions**

- \* Preparation of the surface,
- \* Injection of the Belzona 4151 to fill the space between the wall and the pipe,
- \* Repair of damaged concrete with Belzona 4111,
- \* Belzona 1812 coating to protect against wear caused by abrasion. ,

### **Application Situation**

The discharge pipes of the cyclone feed sump were loosened from the Concrete Wall due to impact and wear in the metallic structure caused by abrasion.

### **Application Method**

The application was carried out in accordance with Belzona Know-How System Leaflet FPA-10 for fastening the pipe to the cyclone feed sump wall, injecting Belzona 4151 and FPA-1 for rebuilding the concrete wall with Belzona 4111. SHM-8 for coating the interior and exterior of the pipe to protect against wear caused by abrasion.

#### **Belzona Facts**

The Belzona System allowed for the repair to be carried out during the plant shutdown, saving time and money while undergoing

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®
Repair • Protect • Improve

812 needs to be appli	ed only to the bottom	part of the pipe, si		ciai product.	
or mara avamalas of Dalzan	a Know - How In Action, ple	assa visit https://khia.he	dzona com		