

# KERBS FIXED IN PLACE WITH BELZONA

ID: 6203

Industry: Buildings & Structures

Customer Location: Shopping centre, Brisbane, Queensland, Australia

Application: FPA-Floor Problem Areas

Application Date: June 2013

Substrate: Concrete

Products: \* Belzona 4111 (Magma Quartz),

## Problem

Delivery of some shipping containers carrying tools and equipment for the refurbishment of the centre had caused damage to the demarcation kerbs around the car park.



## Photograph Descriptions

\* 1. The damaged/missing kerbs 2. Belzona 4111 applied to underside of kerb 3. Belzona 4111 applied to floor prior to refitting the kerb 4. Kerbs permanently back in position ,

## Application Situation

Shopping Centre car Park

## Application Method

Application was carried out in accordance with Belzona System Leaflet FPA-11. The damaged sections of kerb were removed to allow the substrate to be cleaned and prepared before bonding the original kerbs back into place using the Belzona 4111 system.

## Belzona Facts

Belzona 4000 series products were chosen for their high strength, durability, ease of use and fast curing properties which allowed for the repairs to be carried out quickly using the original kerbs without the need for extensive reconstruction and only minimal disruption to traffic flow.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015

Belzona products are

FS 695214

manufactured under an ISO

ISO 14001:2015

9000 Registered Quality

EMS 695213

Management System.

[www.belzona.com](http://www.belzona.com)

  
**BELZONA**  
Repair • Protect • Improve