BELZONA REPAIR TO LARGE EXCAVATOR CONTROL CABLE

ID: 662

Industry: General Industry Customer Location: Ferro-nickel plant in Macedonia

Application: ENC-Engines and Casings Application Date: June 2003

Substrate: Rubber

Products: * Belzona® 2311 (SR-Elastomer),

Problem

Torn cable cover due to weather influences and friction with ground. There was need for material which is elastic, has good athesion, abrasion and water resistance.









Photograph Descriptions

- * View of excavator ,
- * Torn cable cover,
- * Repaired cable with Belzona® 2311,
- * Condition after 14 months in service,

Application Situation

Control cable from large iron ore excavator.

Application Method

Application was carried out in accordance with Belzona Know-How System Leaflet ENC-10. Belzona® 9341 (Reinforcement tape) was used between two layers of Belzona® 2311

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

www.belzona.com

Belzona Facts Mechanical bonded rubber coupling had been used before on damaged insulation of the cable, but Belzona® 2311 showed better elasticity, adhesion and abrasion resistance. This application have been done on ten further locations.