

Belzona Protects Brand New Fertilizer Plant

ID: 7928

Industry: Other
 Application: TCC-Tanks and Chemical Containment Areas
 Substrate: Concrete
 Products: Belzona 4311 (Magma CR1),
 Belzona 4151 (Magma-Quartz Resin),

Customer Location: Hungary
 Application Date: 2007

Problem

The area was expected to be exposed to 98% sulfuric acid spillages and also heavy vehicle traffic.



Application area being tented out



Belzona 4311 after being applied



Coated fertiliser plant area



Wear pads and flooring system 8 years later

Application Situation

Brand new granulating plant in a fertilizer factory containing 98% sulfuric acid.

Application Method

Application was carried out in accordance with Belzona Know-How system Leaflets TCC-15 and TCC-08. The outside area was tented out and the new concrete was coated with Belzona 4311. A special mortar mix of Belzona 4151 and AL203 ceramic aggregate was made for the 2 pads for the tractors feet to rest on, yellow tinted Belzona 4151 safety lines were also applied to help the driver park the tractor easily.

Belzona Facts

Over the years it was found that when the tractor picked up the tanker it would push it 10-20 cm backwards, damaging the Belzona 4311 coating with it's metal feet. To prevent this 2 wear pads were mixed and applied. 8 years later and the system is still in good condition.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
 FS 695214
 ISO 14001:2015
 EMS 695213

Belzona products are
 manufactured under an ISO
 9000 Registered Quality
 Management System.

www.belzona.com

BELZONA
 Repair • Protect • Improve