Belzona Ball Mill Trunnion Repair

ID: 8074

Industry: Mining & Quarrying Customer Location: Portugal Application: MPT-Mechanical Power Transmission Application Date: 2018

Substrate: Steel

Products: * Belzona 1121 (Super XL-Metal),

Problem

Wear caused over time by the rotating mill grinding against the trunnion section. Also abrasion from the minerals and ores being ground as part of the mining process.









Photograph Descriptions

- * 1. Damaged trunnion section,
- * 2. Surface preparation using an MBX,
- * 3. Applying the Belzona 1121,
- * 4. Final application ,

Application Situation

Repair of the trunnion section of a grinding mill

Application Method

Application carried out using a modified verision of system leaflet MPT-07. An MBX bristle blaster was used to prepare the surface, allowing the paste grade to adhere to the substrate. 17 Kg's of Belzona 1121 was then applied around the circumference of the

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®

trunnion section and smoothed out with an applicator to rebuild the lost materials.

Belzona Facts

The customer rang Belzona the night before asking for an emergency repair. Belzona arrived the following morning to carry out the repair and had the system back up and running that day.