

# Belzona Repairs and Protects Oil/Gas/Water Separator

ID: 8083

Industry: Oil & Gas  
Application: TCC-Tanks and Chemical Containment Areas  
Substrate: Carbon steel  
Products: \* Belzona 1111 (Super Metal) ,  
\* Belzona 5892 ,  
\* Belzona 1381 ,

Customer Location: Romania  
Application Date: June 2019

## Problem

General pitting corrosion on the wall and severe erosion-corrosion in the lower section of separator due to the presence of sour gas.



## Photograph Descriptions

- \* 1. General view inside separator after grit blasting ,
- \* 2. Corrosion in the wall ,
- \* 3. Repair of corrosion areas ,
- \* 4. Completed application ,

## Application Situation

The horizontal vessel that separates the well fluids into gas and two types of liquids: oil and water is effected by corrosion and also by erosion on the bottom of the first chamber where there is a wash system. The water injection removes the polluted ground sand particles from separator.

## Application Method

The application was carried out in accordance with Belzona Know-How System Leaflets TCC-5. The separator surface was cleaned, degreased and grit blasted. Following the grit blasting, stripe coating of all internal weld areas and outer edges were completed and

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015  
FS 695214  
ISO 14001:2015  
EMS 695213

Belzona products are  
manufactured under an ISO  
9000 Registered Quality  
Management System.

[www.belzona.com](http://www.belzona.com)

  
**BELZONA**  
Repair • Protect • Improve

areas of severe corrosion and pitting were identified and repaired using Belzona 1111 Super Metal. A two coat system of Belzona 5892 was applied to protect the separator from further corrosion. The lower section of the first separator stage was then coated with two layers of Belzona 1381 for added erosion-corosion resistance.

## Belzona Facts

Both Belzona systems coatings were chosen due to their excellent heat resistance properties, resistance to explosive decompression and proven longevity. As a plus Belzona 1381 was chosen for its superior erosion resistance. The Belzona solution allowed for a quick return to service with the added advantage of ease of application. There were no other viable alternative solutions due to the clients tight time scale requirements.

---

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015  
FS 695214  
ISO 14001:2015  
EMS 695213

Belzona products are  
manufactured under an ISO  
9000 Registered Quality  
Management System.

[www.belzona.com](http://www.belzona.com)

