Belzona Repairs and Protects Oil/Gas/Water Separator

ID: 8083

Industry: Oil & Gas

Application: TCC-Tanks and Chemical Containment

Areas

Substrate: Carbon steel

Products: * Belzona 1111 (Super Metal),

* Belzona 5892, * Belzona 1381,

Problem

Genereal pitting corrosion on the wall and severe erosion-corrosion in the lower section of separator due to the presence of sour gas.







Customer Location: Romania

Application Date: June 2019



Photograph Descriptions

- * 1. General view inside separator after grit blasting,
- * 2. Corrosion in the wall,
- * 3. Repair of corrosion areas,
- * 4. Completed application,

Application Situation

The horizontal vessel that separates the well fluids into gas and two types of liquids: oil and water is effected by corrosion and also by erosion on the bottom of the first chamber where there is a wash system. The water injection removes the polluted ground sand particles from separator.

Application Method

The application was carried out in accordance with Belzona Know-How System Leaflets TCC-5. The separator surface was cleaned, degreased and grit blasted. Following the grit blasting, stripe coating of all internal weld areas and outer edges were completed and

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®

areas of severe corrosion and pitting were identified and repaired using Belzona 1111 Super Metal. A two coat system of Belzona 5892 was applied to protect the separator from further corrosion. The lower section of the first separator stage was then coated with two layers of Belzona 1381 for added erosion-corosion resistance.

Belzona Facts

Both Belzona systems coatings were chosen due to their excellent heat resistance properties, resistance to explosive decompression and proven longevity. As a plus Belzona 1381 was chosen for its superior erosion resistance. The Belzona solution allowed for a quick return to service with the added advantage of ease of appplication. There were no other viable alternative solutions due to the clients tight time scale requirements.