

Belzona Coats 2 x Pemo Pumps

ID: 8178

Industry: Fluid Flow

Application: CEP-Centrifugal Pumps

Substrate: Steel & Cast Iron

Products: * Belzona 1111 (Super Metal) ,
* Belzona 1321 (Ceramic S-Metal) ,
* Belzona 1341 (Supermetalgilde) ,
* Belzona 9111 (Degreaser) ,
* ,

Customer Location: Switzerland

Application Date: January 2020

Problem

Due to the sand in the water, it damaged the pumps within a short time (6 months). As a result, the pumps were only giving an output pressure of 6 bar of 12 bar. The pumps lost power and the company's production slowed. By slowing down production, the customer made losses every day.



Photograph Descriptions

- * Pemo pumps in the service center. Additional blasting work to better inspect the pumps. Image ,
- * After blasting, a mold was made for the re-profiling of the impellers with Belzona 1111. Additional construction of the housing passage with Belzona 1111. ,
- * After re-profiling, the parts were turned to size on the lathe. ,
- * In addition, the parts were coated with Belzona 1321 Grey and Belzona 1341 Blue. ,

Application Situation

2-stage Pemo pump with heavy leaching.

Application Method

All components of the Pemo Pumps were previously grit blasted according to SA 2½ / 75µ. After grit blasting, the components were immediately re profiled with Belzona 1111 and Belzona 9341. This process was repeated several times to achieve the original size. After re-profiling, the parts were turned to the original size on the lathe. After the re-profiling was completed, the pumps would be coated with Belzona 1321 Grey and Belzona 1341 Blue. Application was carried out in accordance with Belzona Know-How system

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015

FS 695214

ISO 14001:2015

EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA
Repair • Protect • Improve

Belzona Facts

A quick solution with the Belzona products prevented a longer downtime of the system. By re-profiling the Pemo pumps, the system could be put into operation again after 2 weeks. Due to the longer delivery times for new parts from Italy (3 months), the customer decided to reprofile and coat the pumps. The customer saved approx 120,000 Swiss Francs (Approx £94,000 GBP)

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

