

BELZONA KEEPS DECKING SAFE


ID: 827

Industry: *Buildings & Structures*
Application: *FPA-Floor Problem Areas*
Substrate: *Wood*
Products: ** Belzona® 5811 (Immersion Grade) ,*
** Belzona® 9211 (Supergrip Aggregate) ,*

Customer Location: *Holiday Village, Penrith*
Application Date: *2002*

Problem

Slipping hazard, particularly when wet. Also wear on top surface.



Photograph Descriptions

- * Slippage problem area. ,
- * Belzona grip system was mixed and piped using polyethylene bag, and then spread with an applicator. Further aggregate was then spread over the area. ,
- * Completed application. ,

Application Situation

Grooved timber decking

Application Method

The application was carried out using a modified version of the Belzona Know-How System Leaflet FPA-8. The Belzona® 5811 was mixed with 50% of Belzona® 9211.

Belzona Facts

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com



Following this initial area being treated a water spillage occurred half on the decking and half on the Belzona Grip System. It was noted that the timber decked area was extremely slippery and hazardous whereas the area covered with the Belzona gave excellent grip properties even when soaked with water. The use of Belzona has become a standard procedure at this site with a further large area being treated in 2007.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

