

Belzona 5871 Provides Innovative Thermal Insulation Solution


ID: 8582

Industry: Oil & Gas
Application: TCC-Tanks and Chemical Containment Areas
Substrate: Aluminium
Products: * Belzona 5871 ,
* Belzona 3211 (Lagseal) ,

Customer Location: North West England, UK
Application Date: July 2021

Problem

A conventional jacketed insulation system fitted to the external of the aerial dispersant vessel was deemed unfeasible in aerial operation. Therefore, the client's focus shifted towards barrier coatings which could tightly adhere to the external substrate; provide thermally insulating properties; and protect the external substrate from corrosion down to -25°C. It is important that the dispersant contained in the vessel was kept > 0°C so it doesn't freeze up.



Photograph Descriptions

- * 1. Fabricated aluminium vessel. ,
- * 2. Heated Vessel with trace heating positioned around vessel – close-up of surface preparation. ,
- * 3. Three coats of Belzona 5871 completed. Close up of trace heating panel to show the thickness of coating. ,
- * 4. Vessel coating completed with a Belzona 3211 system applied. Ready to be transported to the client. ,

Application Situation

A newly fabricated, aerial oil dispersant vessel to be used in cold environments, offshore.

Application Method

Prior to coating the vessel was grit blasted to SA 2.5 with a minimum average profile of 75 microns, followed by the positioning of the trace heating elements. Three coats of Belzona 5871 were then spray applied at a wet film thickness of 1mm per coat. Due to the inherent expanding properties of the Belzona 5871, this amounted to a total DFT of >9mm. Belzona 3211 (Lagseal) incorporating a reinforcing sheet was then applied over the Belzona 5871 to provide additional UV protection and a degree of fire retardant.

Belzona Facts

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA®
Repair • Protect • Improve

A coated and trace heated test panel was provided to the end client prior to this novel application, to prove the capabilities of the Belzona materials. The success of the test panel gave the client confidence to go ahead with the full external vessel application.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015	Belzona products are
FS 695214	manufactured under an ISO
ISO 14001:2015	9000 Registered Quality
EMS 695213	Management System.

www.belzona.com

