Belzona Protects a Sulphuric Acid tank

Industry:Steel & Metal ProcessingApplication:TCC-Tanks and Chemical Containment
AreasSubstrate:Carbon steelProducts:Belzona 4311 (Magma CR1)

Customer Location: *Spain* Application Date: *September 2016*

Problem

INTERIOR PROTECTION AGAINST CHEMICAL ATTACK IN TANK STORAGE OF CONCENTRATED SULFURIC ACID VARIABLE BETWEEN 30% AND 98% WAS REQUIRED.





Photo of the tank

Initial state of the damage



Application of the 1st layer of coating



ID: 8948

Coating finished

Application Situation

Belzona was able to offer a system which could provide protection against the harsh chemical present in the process.

Application Method

1-BLASTING THE INTERIOR OF THE TANK. 2- APPLICATION OF THE FIRST LAYER OF A MINIMUM OF 250 MICRONS OF BELZONA® 43111 BY BRUSHING THE WHOLE TANK 3- APPLYING THE SECOND COAT OF BELZONA® 4311 OVER THE ENTIRE THE TANK

Belzona Facts

Belzona 4311 has excellent chemical resistance against Sulphuric acid up-to 98%

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 FS 695214 ISO 14001:2015 EMS 695213

Belzona products are manufactured under an ISO 9000 Registered Quality Management System.



