Belzona Lining for Internal Protection of Hydrocyclone Tank

ID: 9005

Industry: Oil & Gas Customer Location: Doha, Qatar Application: TCC-Tanks and Chemical Containment Application Date: February 2023

Substrate: Carbon steel

Products: Belzona 1391 (Ceramic HT)

Problem

The existing ceramic lining of the hydrocyclone vessel showed visible signs of damages, such as blisters and cracks. Normal coatings are not suitable for use in these conditions due to the harsh chemicals and operating conditions.









Overall internal surfaces coated Belzona 1391 brush applied in Belzona 1391 brush applied in Inspection with a wet sponge with Belzona 1391. a nozzle.

a nozzle.

tester for holiday detection.

Application Situation

The client appears to have chosen to use the Belzona coating due to its tough specifications and long life in order to reduce the cost of recoating the hydrocyclone vessel. This decision was probably based on the fact that the harsh chemicals and operational conditions of the vessel make normal coatings unsuitable. By using Belzona, the client wants to extend the life of the vessel and avoid frequent recoating.

Application Method

Prior to coating application, the surface of the vessel was blasted to Sa 2.5 Near White Metal and all parameters were tested to ensure that the surface was suitable to be coated. The application of Belzona 1391 to the vessel was carried out manually at an average thickness of 500 microns, following the guidelines described in the Belzona 1391 Instructions for Use.

Belzona Facts

The client's decision to use Belzona product for the hydrocyclone vessel was probably driven by a focus on cost savings: the tough specifications and long service life of Belzona coating reduce the frequency of recoating, ultimately reducing costs associated with

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 FS 695214 manufactured under an ISO ISO 14001:2015 9000 Registered Quality EMS 695213 Management System.

www.belzona.com

maintenance and repair. This approach makes sense given the harsh chemicals and vessel operating conditions for which normal coatings are unsuitable. By extending the life of the vessel through the use of Belzona, the client can achieve long-term cost savings and avoid the need for frequent and costly maintenance.
and avoid the need for nequent and obstry maintenance.



ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

www.belzona.com

