BELZONA'S PROVEN PERFORMANCE IN SEPARATOR PROTECTION

ID: 95

Industry: Oil & Gas Customer Location: International Oil Producer

Application: TCC-Tanks and Chemical Containment Application Date: 1992

Areas

Substrate: Duplex steel
Products: * Belzona® 1321,

Problem

Previous experience indicated that the lower 1/3rd of this new vessel would be subjected to sand erosion and Sulphate Reducing Bacteria (SRB) attack.







Photograph Descriptions

- * The vessel in the coating contractors workshop ,
- * Application underway ,
- * Coating inspection and repair being carried out,

Application Situation

Production Oil/Gas Separator

Application Method

Application was carried out in accordance with Belzona System Leaflet TCC-5. A three-coat system of Belzona® 1321 was applied as the operating temperature was 85°C.

Belzona Facts

Despite the use of corrosion resistant Duplex, SRB attack and sand erosion induced by the jet wash system in the base of the tank was expected to cause shell damage without protection. Previously used glass flake systems had been unable to resist the sand erosion and required regular refurbishment necessitating hugely expensive interruptions to oil production. Since application the vessel has been routinely inspected and the coating is still in excellent condition and no un-scheduled shut-downs have been incurred.

For more examples of Belzona Know - How In Action, please visit https://khia.belzona.com

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.

BELZONA®
Repair • Protect • Improve

ISO 9001:2015 Belzona products are
FS 695214 manufactured under an ISO
ISO 14001:2015 9000 Registered Quality
EMS 695213 Management System.



www.belzona.com