

Belzona 1984 on Sweating Nozzle


ID: 9843

Industry: Oil & Gas
Application: VPF-Valves, Pipes and Fittings
Substrate: Carbon steel
Products: Belzona 1161 (Super UW-Metal), Belzona 1984, Belzona SuperWrap II, Belzona 5831 (ST-Barrier)

Customer Location: Orange Texas
Application Date: June 2025

Problem

CUI led to excessive corrosion. The vessel operates at sub ambient temperatures which leads to sweating substrate.



Picture of defective area.

Power tool prep to SSPC-SP 11 using sparkless grinders.

SuperWrap II using 1984 installed onto nozzle. Belzona 1161 was used as the rebuild underneath.

Belzona 5831 used to topcoat system.

Application Situation

During a turnaround, severe corrosion was discovered at 2 nozzles. The vessel was not emptied completely of the propylene gas which made the substrate temperature colder than the dew point and create a sweating substrate. The client needed an ASME composite that could be applied to wet surfaces.

Application Method

This application could not involve any hot work, so sparkless grinders were used to prepare the substrate to SP 11 surface cleanliness levels. Belzona 1161 was used to rebuild the pitting and create a chamfered transition at the nozzle/vessel interface. Belzona SuperWrap II was then installed. The repair wrapped the entire nozzle and flared onto the vessel extending 4 inches beyond the pitting in each direction. Belzona 1984 was allowed to cure and then inspected. Once deemed acceptable the repair was abraded and Belzona 5831 was used to topcoat the composite.

Belzona Facts

This nozzle was about 80 feet up from ground level. The scaffolding needed to be removed to finish the turnaround work. This solution allowed the client to complete their turnaround on time.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015
FS 695214
ISO 14001:2015
EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com


BELZONA
Repair • Protect • Improve