

BELZONA REPAIRS HOLED NOZZLE ON GLYCOL PLANT

ID: 986

Industry: Oil & Gas

Application: VPF-Valves, Pipes and Fittings

Substrate: Steel

Products: Belzona® 1291 (ES Metal)<div>Belzona® 1111 (Super Metal)</div>

Customer Location: Gas Processing Plant, UK

Application Date: August 2007

Problem

Corrosion had caused severe wastage of a nozzle which resulted in two holes breaking through.



Photograph Descriptions

* View of plant area , * View of one of the two holes in the nozzle , * View of the plates prior to bonding , * View after the plate bond and wrap was completed ,

Application Situation

Corroded and holed 3 inch diameter nozzle

Application Method

Application was carried out in accordance with Belzona Know-How System Leflet VPF-11a. Plates were tailor made on site to completely encapsulate the nozzle. Once bonded, the whole nozzle was also wrapped.

Belzona Facts

Due to the location, attempting to hot-work/weld repair the nozzles, was not an option. Replacing the nozzle was not possible within a reasonable time frame and would have been very expensive and caused major plant down time. The work was done via a Belzona approved application company and saved the client Millions in lost downtime.

For more examples of Belzona Know - How In Action, please visit <https://khia.belzona.com>

ISO 9001:2015

FS 695214

ISO 14001:2015

EMS 695213

Belzona products are
manufactured under an ISO
9000 Registered Quality
Management System.

www.belzona.com

Copyright © Belzona International Limited 2025


BELZONA®
Repair • Protect • Improve